



Certificate of constancy of performance

0099/CPR/A65/0012

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

FINANCIERA MADERERA, S.A.

registered office LUGAR DE FORMARÍS, S/N 15707 SANTIAGO DE COMPOSTELA (A Coruña - España)

Construction Product **Wood-based panels for use in construction defined by technical class**

Harmonised Standard EN 13986:2004+A1:2015

References Specified in Annex to the Certificate

Production site Polígono Industrial RÁBADE 27370 RÁBADE (Lugo - España)

Certification scheme This certificate attests that all provisions under system 1 concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the aforementioned harmonised standard are applied and that the product fulfils all the prescribed requirements set out above.

This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

First issued on 2009-10-28

Last issued on 2024-09-26

Validity 2025-09-26

Rafael GARCÍA MEIRO
CEO



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



Certificate of constancy of performance

0099/CPR/A65/0012

Annex to Certificate

Application	Trade Mark	Thickness range (mm)	Facing	Technical class	Reaction to fire class	Formaldehyde class	Content of pentachlorophenol
Internal use as non-structural components in dry conditions	FIBRANOR IGNIFUGO	3 to 7	Unfaced	MDF	B-s2, d0	E1	<= 5 ppm
Internal use as non-structural components in dry conditions	FIBRANOR IGNIFUGO E-Z	3 to 7	Unfaced	MDF	B-s2, d0	E1	<= 5 ppm
Internal use as non-structural components in dry conditions	FIBRAPAN IGNIFUGO	7 to 10	Unfaced	MDF	B-s2, d0	E1	<= 5 ppm
Internal use as non-structural components in dry conditions	FIBRAPAN IGNIFUGO E-Z	7 to 10	Unfaced	MDF	B-s2, d0	E1	<= 5 ppm

First issued on 2009-10-28
Last issued on 2024-09-26
Validity 2025-09-26



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com